		25X1A	Appr	<u>စved</u> Fတု Rele	5a3e,2003	(88)	39EI	SIA:	RDSAG	₽ 00820	RO	003	0013002	ระบ ับา	TNG	~~~ ~	
	១៧៤ ៖			jlf			fange sittingen between	yergyerne enter enter			1		D/DSA		9		
		APD/OSA				3 E	C I	RE	T				/OSA		10	 	
25X1	EXT :				L								rech/os	A	11		
	DATE:	26 DECE	wer	1963							4		FA/OSA		12		
											6		ea/osa /osa		13 14		
	TO :						_						OSA_		15		
	FROM:	DIRECTO	R		25	X1/	4						/058		16		
		OSA		5							2000		DEFERRE		PRIORIT	Ą	INITIALS
	INFO:		ا			•			. /	1 \	ROBECE	XX	ROUTINE		OPERATIO IMMEDIA		INUTIALS
	. *	25X1A	· 				1		21	S 1				25>	<1A ປິ	4:	559
	TO	=	٦	and the state of the	INFO					لية وهليخا والواجعة التام والواجعة و			CITE				
	t.	DEALIST/CORONA REF 1464 (IN 560))75》	25X1A			X1A					8764				
		ATT .							25)	X1A							

- 1. YOUR ATTENTION IS CALLED TO PROBLEMS POSTULATED IN CORONA PROGRAM REGARDING RELATIVE HUMIDITY AND CONDENSATION ON CORONA CAMERAS DURING LAUNCH. SOLUTION AT THAT TIME, FOR THAT SYSTEM, WAS TO REQUIRE DRY AIR OR NITROGEN PURGE OF THE CAMERA SYSTEM. IT APPEARS THAT SIMILAR PRECAUTIONS ARE NEEDED IN THE .12A SYSTEM. THE HEATING NOTED IN REF PARA 4 WILL NOT DECREASE THE ABSOLUTE HUMIDITY, BUT ONLY THE RELATIVE HUMIDITY. ON REMOVAL OF THE HEAT SOURCE, RELATIVE HUMIDITY WILL RISE AS TEMPERATURE FALLS.
- 2. REF MESSAGE INDICATES RELATIVE HUMIDITY PROBLEMS ON BOTH TAKE-OFF AND RETURN.
- 3. LONG-TERM SOLUTION TO THE RELATIVE BUMIDITY PROBLEM WILL BE NEEDED FOR BOTH THE SINGLE AND DOUBLE CAMERA SYSTEMS.

RELEASING OFFICER

SECRET

SECRET

SECRET

COORDINATING OFFICERS

SECRET

COORDINATING OFFICERS

AUTHENTICATING OFFICER

REPRODUCTION BY OTHER THAN THE ISSUING OFFICE IS PROHIBITED. Good No.

Approved For Release 2003/09/30: CIA-RDP67B00820R000300130022-5

The state of the s	CLASSIFIED MES	CLASSIFIED MESSAGE					ROUTING					
RIG:	SECRET		1				9					
NIT:	D B C R E I	į	2			110						
XT: ATE:	English and the state of the st		3			- 1		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
AIC						1						
O :			6			1.						
· • • • • • • • • • • • • • • • • • • •			7 8		Andrew Angelone in the Total Page 19	1		···				
ROM						Ť		EJAITINI				
ONF:			E CE		DEFERRED		PRIORITY	and the last of th				
NFO s			ROEM		ROUTINE		OPERATIONAL IMMEDIATE	INITIALS				
·												
	p	age 2										
	INFO	ande german ja reger andere german germa German german germa			CITE							

4. WITH REGARD TO PARA 6.

A. INITIAL INFORMATION INDICATED REASONABLE AMOUNT OF CLEAR WEATHER FOR EVALUATION.

B. YOU INDICATE THAT QUOTE POOR EXPOSURE UNQUOTE
AND QUOTE IMPROPER PROCESSING UNQUOTE ARE RELATED PROBLEMS.

IT WOULD APPEAR THAT FIELD PROCESSING SHOULD BE ADEQUATE TO

WAKE ROUGH ESTIMATES OF ADEQUACY OF EXPOSURE TO UNCOVER POSSIBLE

ERRORS IN CYCLING RATE OR SLIT WIDTH. WE UNDERSTAND THAT

STITABLE TIME AND TEMPERATURES ARE AVAILABLE FOR D-19 PROCESSING

USED BY

IS BEEF BEING QUERIED ON THIS POINT:

YOU WILL BE INFOED ON THE TRAFFIC.

25X1A

5. IN LIGHT OF RELATIVELY COMMON FAILURE OF THE SHEAR PIN AND STAR-WHEEL DRIVE, PLEASE REVIEW THE SPARES LIST ON THESE ITEMS, WITH REGARD TO NEED FOR AUGMENTATION.

END OF MESSAGE

REF: TROUBLE REPORT FROM FIELD ON 112A CAMERA.

	25X1A	
	COORDINATING OFFICERS	
APD/USA	SECRET	GROUP 1 Suducid from ouromals a downgroung and
RELEASING OFFICER	OSCREI	designation AUTHENTICATING OFFICER